



# Essential Build-out Kit


*Assembly & Installation*

# Thank You!

Thank you for purchasing a Stoll Fire Build-out Kit! We are confident this quality product will last you for years to come. If you need further help or additional information regarding installation, please reach out to your local dealer for assistance.

## Included Parts & Tools

- A. Self Tapping Screws
- B. Face Panels: 2
- C. Vertical Supports: 2
- D. Horizontal Brackets: 3
- E. Rear Mounting Bracket: 1
- F. Top Cap/Shelf




# Build-out Kit Assembly


## Shell Assembly

Lay the face panels (b) face down on a soft/non-abrasive surface to ensure they do not scratch.

Using the provided self-tapping screws, attach the face panels together. *Screw hole locations are pre-drilled in each panel to ensure proper alignment.*




Standing the face panels upright, connect both vertical supports (c) to the face panels through the appropriate slots. (Each vertical support has lasercut slots cut that correspond with cleats on the face panels). Using a rubber mallet, ensure cleats are fully seated in the corresponding slots.




## Shell Assembly continued...

In the top corner of each side, fasten the vertical supports in place with the provided self-tapping screws.




Attach the rear mounting bracket (e) to the top of the vertical supports. Insert the cleats through the corresponding slots, and secure in place with the provided self-tapping screws.




## Shell Assembly continued...

Attach the three horizontal supports to the corresponding slots and cleats on the vertical supports behind the face panels. Two bars attach to the front of the vertical supports above and below the opening, and one to the back of the vertical supports below the opening. The two lower brackets will overlap.




## Firebox Installation

Following the manufacturers installation instructions for your specific firebox, install the firebox into the build-out kit.



## Mounting

If desired, attach the build-out kit to the wall or structure behind it by securing it through the rear mounting bracket with the appropriate fasteners (not included).



## Shelf Assembly

Attach the top cap/shelf (f) to the build-out kit by aligning the cutouts on the back of the shelf with the vertical supports, and sliding it down into place.



# Operation & Maintenance

- Your Build-out Kit can be cleaned using a damp cloth and soap or mild household cleaner, or rubbing alcohol for tougher stains. *To avoid damage to the finish, abrasive cleaning products and cleaners containing ammonia or other harsh chemicals should be avoided.*

## Warranty

Your Build-out Kit is covered by a 3 year limited warranty. For more information, please visit [www.stollindustries.com/resources](http://www.stollindustries.com/resources). All warranty claims must be placed through your local dealer.

## Photos of Completed Products

We would love to see pictures of your finished and installed project! Please send images to [photos@stollindustries.com](mailto:photos@stollindustries.com). High quality images will likely be featured on our social media or website!



### **WARNING**

This product can expose you to chemicals including Carbon Black, which is known to the state of California to cause Cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)