

2025/26

# LUXUS<sup>®</sup>

EPA WOOD SERIES



LUXUS<sup>®</sup> EPA FS24

*Treat yourself with luxury*



AMBIANCE<sup>®</sup>

FIREPLACES | BBQ | OUTDOORS | SPAS

# LUXUS® EPA



LUXUS® EPA ZC24 with 4-inch trim and Ambiance® Sawmill Slab mantle

A traditional fireplace becomes a work of modern design, quietly transformed by precision and flame. The Ambiance® LUXUS® High Efficiency Insert Series reimagines masonry hearths into clean, elegant focal points that reflect both warmth and restraint.

Designed in Germany by Spartherm and certified to EPA 2020 standards, the series includes 24", 28", and 32" inserts with a unique 45-degree flue for smart installation. Panoramic glass fronts and minimalist trims frame the fire in architectural clarity. This is not just an upgrade—it's a redefinition. This is LUXUS®.

**You'll enjoy living in LUXUS® !**



# LUXUS® EPA

 **AMBIANCE®**  
FIREPLACES | BBQ | OUTDOORS | SPAS



LUXUS® EPA FS28 with Base C

*Treat yourself with luxury*

# LUXUS® EPA



## FEATURES

### SILENT PERFORMANCE

No blowers. No background noise. Just immersive warmth and design that speaks in stillness.

### MODERN ARCHITECTURAL CENTERPIECE

The flush, wide format creates a stunning focal point—fire as an architectural element.

### ENGINEERED FOR IMPACT

German-made by Spartherm with advanced combustion technology and clean, timeless lines.



LUXUS® EPA ZC28 with 2-inch trim




**AMBIANCE®**  
FIREPLACES | BBQ | OUTDOORS | SPAS





## TECHNICAL SPECIFICATIONS



LUXUS® EPA Free-Sanding  
FS24, FS28 AND FS32



**Base B**



**Base C**



|             | BTU      |        | FIREBOX |                  | EFFICIENCIES |           |        | VENTING |          |        |
|-------------|----------|--------|---------|------------------|--------------|-----------|--------|---------|----------|--------|
|             | Cordwood | EPA    | Cu. Ft  | Ideal Log Length | g/hr         | Optimal % | HHV    | Type    | Diameter | Brands |
| <b>FS24</b> | 40,000   | 47,417 | 1.1     | 17"              | 1.67         | 70.29%    | 70.29% | Class A | 6-inch   | All    |
| <b>FS28</b> | 60,000   | 29,452 | 1.8     | 21"              | 1.14         | 66.77%    | 66.77% | Class A | 6-inch   | All    |
| <b>FS32</b> | 80,000   | 20,406 | 2.1     | 17" to 21"       | 1.3          | 71%       | 71%    | Class A | 6-inch   | All    |


|             | GLASS       |                   |              | WEIGHT | FIREPLACE DIMENSIONS |           |            | BASES DIMENSIONS (B/C) |         |         |
|-------------|-------------|-------------------|--------------|--------|----------------------|-----------|------------|------------------------|---------|---------|
|             | Type        | Dimensions        | Area sq. in. | lbs    | Width (B)            | Depth (A) | Height (C) | Width (Base B/C)       | Depth   | Height  |
| <b>FS24</b> | 4mm Ceramic | 20" x 17.063"     | 341          | 262    | 24.188"              | 17"       | 22.125"    | 24.188" / 45.25"       | 16.875" | 14.375" |
| <b>FS28</b> | 4mm Ceramic | 23.938" x 19"     | 454          | 334    | 28.813"              | 18.5"     | 25.375"    | 28.063" / 45.25"       | 17.875" | 14.375" |
| <b>FS32</b> | 4mm Ceramic | 27.875" x 20.625" | 574          | 364    | 32.125"              | 18.875"   | 24.813"    | 32.094" / 49.219"      | 19.063" | 14.375" |

# LUXUS® EPA




## TECHNICAL SPECIFICATIONS


LUXUS® EPA Zero-Clearance  
ZC24, ZC28 AND ZC32



Front View



Top View



Side View

|             | BTU      |        | FIREBOX |                  | EFFICIENCIES |           |        | VENTING |          |        |
|-------------|----------|--------|---------|------------------|--------------|-----------|--------|---------|----------|--------|
|             | Cordwood | EPA    | Cu. Ft  | Ideal Log Length | g/hr         | Optimal % | HHV    | Type    | Diameter | Brands |
| <b>ZC24</b> | 40,000   | 47,417 | 1.1     | 17"              | 1.67         | 70.29%    | 70.29% | Class A | 6-inch   | All    |
| <b>ZC28</b> | 60,000   | 29,452 | 1.8     | 21"              | 1.14         | 66.77%    | 66.77% | Class A | 6-inch   | All    |
| <b>ZC32</b> | 80,000   | 20,406 | 2.1     | 17" to 21"       | 1.3          | 71%       | 71%    | Class A | 6-inch   | All    |

|             | GLASS       |                   |              | WEIGHT | DIMENSIONS |           |            |
|-------------|-------------|-------------------|--------------|--------|------------|-----------|------------|
|             | Type        | Dimensions        | Area sq. in. | lbs    | Width (B)  | Depth (A) | Height (C) |
| <b>ZC24</b> | 4mm Ceramic | 20" x 17.063"     | 341          | 265    | 25.313"    | 19"       | 23.313"    |
| <b>ZC28</b> | 4mm Ceramic | 23.938" x 19"     | 454          | 298    | 29.25"     | 20"       | 25.313"    |
| <b>ZC32</b> | 4mm Ceramic | 27.875" x 20.625" | 574          | 364    | 33.19"     | 21.3"     | 26.125"    |




LUXUS® EPA ZC32 with 4-inch trim



TECHNICAL SPECIFICATIONS

LUXUS® EPA Inserts  
i24, i28 and i32



|     | BTU      |        | FIREBOX |                  | EFFICIENCIES |           |        | VENTING |          |        |
|-----|----------|--------|---------|------------------|--------------|-----------|--------|---------|----------|--------|
|     | Cordwood | EPA    | Cu. Ft  | Ideal Log Length | g/hr         | Optimal % | HHV    | Type    | Diameter | Brands |
| i24 | 40,000   | 47,417 | 1.1     | 17"              | 1.67         | 70.29%    | 70.29% | Class A | 6-inch   | All    |
| i28 | 60,000   | 29,452 | 1.8     | 21"              | 1.14         | 66.77%    | 66.77% | Class A | 6-inch   | All    |
| i32 | 80,000   | 20,406 | 2.1     | 17" to 21"       | 1.3          | 71%       | 71%    | Class A | 6-inch   | All    |

|     | GLASS       |                   |              | WEIGHT | DIMENSIONS |           |            | MINIMUM FIREPLACE OPENING |         |         |
|-----|-------------|-------------------|--------------|--------|------------|-----------|------------|---------------------------|---------|---------|
|     | Type        | Dimensions        | Area sq. in. | lbs    | Width (B)  | Depth (A) | Height (C) | Width                     | Depth   | Height  |
| i24 | 4mm Ceramic | 20" x 17.063"     | 341          | 236    | 23"        | 16.125"   | 21.5"      | 22.813"                   | 16.375" | 21.75"  |
| i28 | 4mm Ceramic | 23.938" x 19"     | 454          | 275    | 26.313"    | 17.313"   | 23.625"    | 26.75"                    | 17.563" | 23.875" |
| i32 | 4mm Ceramic | 27.875" x 20.625" | 574          | 286    | 30.188"    | 18.688"   | 24.188"    | 30.688"                   | 18.938" | 24.219" |



LUXUS® EPA i32

## WHY CHOOSE AMBIANCE®?

### Ambiance® transforms a house into a home!

Ambiance® products will add elegance, peace of mind and comfort to the Soul of your home. All Ambiance® products are carefully selected and designed with your family in mind, to enrich the areas of your home where memories and life take place. The best quality and innovation are shown in the enhanced details and features that add a little «je ne sais quoi» in our Ambiance® designs.

Who are our designers? They are a network of over 300 Hearth & BBQ authorized members from coast to coast covering both Canada and USA. From Alaska to Québec and from Florida to California, they know what it takes to warm up your life and use their real-world experience to design quality and innovative products for your home.

Who can sell the Ambiance® products? Only our selected authorized dealers who are local professionals and who understand your local codes and standards.

A house needs a sense of Ambiance® to transform into a home.

*Ambiance®  
the Soul of your home*



### NON-COMBUSTIBLE MANTELS

#### COMPLETE THE LOOK

Non-combustible 4' to 6' fireplace mantels,\* fireplace surrounds, and accessories, available in designer colors for extraordinary realism and beauty.

\*Please refer to website for specific dimensions.



Visit our website to learn all about our non-combustible mantels.



#### EPA WOOD FIREPLACES STANDARD FEATURES INCLUDE

- › High efficiency EPA 2020 certified performance
- › Wide glass viewing area and clean-face design
- › Flush, clean-face design with wide flame view
- › No blowers—silent, radiant warmth
- › Precision German craftsmanship by Spartherm



**AMBIANCE®**  
FIREPLACES | BBQ | OUTDOORS | SPAS